

Product brochure



Luminary Innovation Technology
Limited



中国 · CHINA



STRING LIGHT

- ◆ INDOOR
- ◆ OUTDOOR


➤ Recommended Application

The string Light can be used for backyard parties, weddings, campgrounds, patio decks, exhibitions, market places, work sites and for any outdoor or indoor use.

➤ Features



- ▶ Varous UL cable with medium and suspended medium base (E26).
- ▶ Formulated PVC sockets form a tight seal around bulbs to preclude the entrance of water and moisture.
- ▶ Suspended socket has T-mold with mounting hole; Non-suspended socket has two mounting ears built into the base.
- ▶ Use commercial grade light string with long life incandescent/LED.
- ▶ The string light can be linkable.
- ▶ Suitable for indoor/outdoor use.
- ▶ Variety of colours to chose and easy installation.

➤ Installation instruction





➤ S14 Incandescent String Light



- ▶ **Lighting Sourcing:** S14 INC Bulbs, PET Plastic
- ▶ **Socket:** E26; Spacing: 2ft, Suspension: 7"
- ▶ **Bulb Specifications:** 2200K, 20lm, Max Wattage: 5W
- ▶ **Cable:** SJTW AWG#18/2C, Black
- ▶ **Feature:** Linkable, Waterproof, Suitable for Indoor & Outdoor Use

MODEL	CABLE LENGTH	NUMBER OF BULBS	TOTAL POWER	DIMMABLE (Y/N)	Maximum Linkable Units
SL-WW-001	24FT	12	60W	N	7
SL-WW-002	48FT	24	120W	N	3

➤ G40 Frosted Incandescent String Light



- ▶ **Lighting Sourcing:** G40 INC Bulbs, PET Plastic
- ▶ **Socket:** E12, Spacing: 2ft
- ▶ **Bulb Specifications:** 2200K/2700K, 20lm, Max Wattage: 0.7W
- ▶ **Cable:** XTW AWG#20 SPT-1W, Black
- ▶ **Feature:** Linkable, Waterproof, Suitable for Indoor & Outdoor Use

MODEL	CABLE LENGTH	NUMBER OF BULBS	TOTAL POWER	DIMMABLE (Y/N)	Maximum Linkable Units
SL-WW-003	20FT	10	7W	Y	61
SL-WW-004	50FT	25	17.5W	Y	24
SL-WW-005	100FT	50	35W	Y	12

➤ S14 Single Flexible Filament LED String Light



- ▶ **Lighting Sourcing:** S14 Single Filament LED Bulbs, PET Plastic
- ▶ **Socket:** E26, Spacing: 2ft, Suspension: 7"
- ▶ **Bulb Specifications:** 2200K, 45lm, Max Wattage: 0.9W
- ▶ **Cable:** SJTW AWG#18/2C&3C, Black
- ▶ **Feature:** Linkable, Waterproof, Suitable for Indoor & Outdoor Use

MODEL	CABLE LENGTH	NUMBER OF BULBS	TOTAL POWER	DIMMABLE (Y/N)	Maximum Linkable Units
SL-WW-006	24FT	12	11W	Y	40
SL-WW-007	48FT	24	22W	Y	20

>> A19 Double Filament LED String Light



- ▶ Lighting Sourcing: A19 Double Filament LED Bulbs, PET Plastic
- ▶ Socket: E26, Spacing: 2ft, Suspension: 7"
- ▶ Bulb Specifications: 2200K, 60lm, Max Wattage: 0.9W
- ▶ Cable: SJTW AWG#18/2C&3C, Black
- ▶ Feature: Linkable, Waterproof, Suitable for Indoor & Outdoor Use

MODEL	CABLE LENGTH	NUMBER OF BULBS	TOTAL POWER	DIMMABLE (Y/N)	Maximum Linkable Units
SL-WW-008	24FT	12	11W	Y	40
SL-WW-009	48FT	24	22W	Y	20

>> ST64 Spiral Filament Vintage LED String Light



- ▶ Lighting Sourcing: ST64 Spiral Filament LED Plastic Bulbs 60lm, Max 0.9W, 2200k
- ▶ Socket: E26, Spacing 2ft, Suspension: 7"
- ▶ Cable: SJTW AWG#18/2C, Black
- ▶ Feature: Linkable, Waterproof, Indoor & Outdoor use

MODEL	SIZE	CABLE	SOCKET	SUITABLE FOR BULB	LINKABLE (Y/N)
SL-WW-012	24FT	SJTW AWG #18/2C	E26	ST64 LED	Y
SL-WW-013	48FT	SJTW AWG #18/2C	E26	ST64 LED	Y

>> T45 Spiral Filament Vintage LED String Light



- ▶ Lighting Sourcing: T45 Spiral Filament LED Plastic Bulbs, 60lm, Max 0.9W, 2200K
- ▶ Socket: E26, Spacing 2ft, Suspension: 7"
- ▶ Cable: SJTW AWG#18/2C, Black
- ▶ Feature: Linkable, Waterproof, Indoor & Outdoor use

MODEL	CABLE LENGTH	CABLE	SOCKET	SUITABLE FOR BULB	LINKABLE (Y/N)
SL-WW-010	24FT	SJTW AWG #18/2C	E26	T45 LED	Y
SL-WW-011	48FT	SJTW AWG #18/2C	E26	T45 LED	Y

>> ST38 Spiral Filament Vintage LED String Light



- ▶ Lighting Sourcing: ST38 Spiral Filament LED Plastic Bulbs 45lm, Max 0.9W, 2200K
- ▶ Socket: E12, Spacing 2ft, Non-Suspension
- ▶ Cable: XTW AWG#20 SPT-1W, Black
- ▶ Feature: Linkable, Waterproof, Indoor & Outdoor use

MODEL	CABLE LENGTH	NUMBER OF BULBS	TOTAL POWER	DIMMABLE (Y/N)	Maximum Linkable Units
SL-WW-006	24FT	12	11W	Y	40
SL-WW-007	48FT	24	22W	Y	20

➤ S14 Spiral Filament Vintage LED String Light



- ▶ **Lighting Sourcing:** S14 Spiral Filament LED Plastic Bulbs 40lm, Max 0.9W, 2200k
- ▶ **Socket:** E26, Spacing 2ft, Suspension: 7"
- ▶ **Cable:** SJTW AWG#18/2C, Black
- ▶ **Feature:** Linkable, Waterproof, Indoor & Outdoor use

MODEL	SIZE	CABLE	SOCKET	SUITABLE FOR BULB	LINKABLE (Y/N)
SL-WW-016	24FT	XTW AWG#20 SPT-1W	E26	S14 LED	Y
SL-WW-017	48FT	XTW AWG#20 SPT-1W	E26	S14 LED	Y

➤ ST38 Warm White Spiral Filament LED String Light



- ▶ **Lighting Sourcing:** ST38 "U" filament, Plastic Bulbs 40lm, Max 0.9W
- ▶ **Socket:** E17, spacing 2ft, No-Suspension
- ▶ **Cable:** XTW AWG#20 SPT-1W, Black
- ▶ **Feature:** Linkable, Waterproof, Indoor & Outdoor use

MODEL	SIZE	CABLE	SOCKET	SUITABLE FOR BULB	LINKABLE (Y/N)
SL-WW-020	24FT	XTW AWG#20 SPT-1W	E17	ST38 LED	Y
SL-WW-021	48FT	XTW AWG#20 SPT-1W	E17	ST38 LED	Y

➤ T45 Warm White Spiral Filament LED String Light



- ▶ **Lighting Sourcing:** T45 "U" filament, Plastic Bulbs 40lm, Max 0.9W
- ▶ **Socket:** E26, Spacing 2ft, Suspension: 7"
- ▶ **Cable:** SJTW AWG#18/2C&3C, Black
- ▶ **Feature:** Linkable, Waterproof, Indoor & Outdoor use

MODEL	SIZE	CABLE	SOCKET	SUITABLE FOR BULB	LINKABLE (Y/N)
SL-WW-018	24FT	SJTW AWG #18/2C, 3C	E26	T45 LED	Y
SL-WW-019	48FT	SJTW AWG #18/2C, 3C	E26	T45 LED	Y

➤ S14 "U" Filament LED String Light



- ▶ **Lighting Sourcing:** S14 "U" filament, Plastic Bulbs 40lm, Max 0.9W
- ▶ **Socket:** E26, spacing 2ft, Suspension: 7"
- ▶ **Cable:** SJTW AWG#18/2C&3C, Black
- ▶ **Feature:** Linkable, Waterproof, Indoor & Outdoor use

MODEL	CABLE LENGTH	CABLE	SOCKET	SUITABLE FOR BULB	LINKABLE (Y/N)
SL-WW-022	24FT	SJTW AWG #18/2C, 3C	E26	S14 LED	Y
SL-WW-023	48FT	SJTW AWG #18/2C, 3C	E26	S14 LED	Y

➤ Diamond Spiral Filament LED String Light



- ▶ **Lighting Sourcing:** "U" filament, Diamonds Plastic Bulbs 40lm, Max 0.9W
- ▶ **Socket:** E17, Spacing 2ft, No-Suspension
- ▶ **Cable:** XTW AWG#20 SPT-1W, Black
- ▶ **Feature:** Linkable, Waterproof, Indoor & Outdoor use

MODEL	SIZE	CABLE	SOCKET	SUITABLE FOR BULB	LINKABLE (Y/N)
SL-WW-024	24FT	XTW AWG#20 SPT-1W	E17	Diamonds Bulb LED	Y
SL-WW-025	48FT	XTW AWG#20 SPT-1W	E17	Diamonds Bulb LED	Y

➤ A19 LED Flickering Flame String Light



- ▶ **Lighting Sourcing:** A19 Flame shape LED bulbs, Plastic Bulbs Max 0.9W
- ▶ **Socket:** E26, Spacing 2ft, Suspension: 7"
- ▶ **Cable:** 2464 AWG#20, Black
- ▶ **Feature:** Linkable, Waterproof, Indoor & Outdoor use

MODEL	SIZE	CABLE	SOCKET	SUITABLE FOR BULB	LINKABLE (Y/N)
SL-WW-028	24FT	2464 AWG#20	E26	A19 LED	Y
SL-WW-029	48FT	2464 AWG#20	E26	A19 LED	Y

➤ S14 Low Voltage LED Meteor String Light



- ▶ **Lighting Sourcing:** S14 Meteor Shower LED Bulbs, Plastic Bulbs Max 0.9W
- ▶ **Socket:** E26, spacing 2ft, Suspension: 7"
- ▶ **Cable:** 2464 AWG#20, Black
- ▶ **Feature:** Linkable, Waterproof, Indoor & Outdoor use

MODEL	SIZE	CABLE	SOCKET	SUITABLE FOR BULB	LINKABLE (Y/N)
SL-WW-026	24FT	2464 AWG#20	E26	S14 LED	Y
SL-WW-027	48FT	2464 AWG#20	E26	S14 LED	Y

➤ ST64 LED Heavy Duty String Light



- ▶ **Lighting Sourcing:** ST64 Heavy Duty LED bulbs, Plastic Bulbs 40lm, Max 0.9W
- ▶ **Socket:** E26, Spacing 2ft, Suspension: 7"
- ▶ **Cable:** SJTW AWG#18/2C&3C, Black
- ▶ **Feature:** Linkable, Waterproof, Indoor & Outdoor use

MODEL	SIZE	CABLE	SOCKET	SUITABLE FOR BULB	LINKABLE (Y/N)
SL-WW-030	24FT	SJTW AWG #18/2C. 3C	E26	ST64 LED	Y
SL-WW-031	48FT	SJTW AWG #18/2C. 3C	E26	ST64 LED	Y

>>> G80 LED Heavy Duty String Light



- ▶ Lighting Sourcing: G80 Heavy Duty LED bulbs, Plastic Bulbs 40lm, Max 0.9W
- ▶ Socket: E26, Spacing 2ft, Suspension: 7"
- ▶ Cable: SJTW AWG#18/2C, Black
- ▶ Feature: Linkable, Waterproof, Indoor & Outdoor use

MODEL	SIZE	CABLE	SOCKET	SUITABLE FOR BULB	LINKABLE (Y/N)
SL-WW-032	20FT	SJTW AWG #18/2C. 3C	E26	G80 LED	Y

>>> Solar LED RGBW Chasing With Music String Light



- ▶ Lighting Sourcing: RGBW (4 in 1)SMD LED S14 bulbs, PMMA 15lm, Max 0.3W
- ▶ Socket: E26,spacing 2ft, Suspension: 7"
- ▶ Cable: 2464 AWG#20, Black
- ▶ Solar panel: 5.5V 1.5W 3.7V 18650 2200mAh
- ▶ Feature: Remote control, Color Changing, Chasing, Jumping, Flashing Breathing, Fading, With music syns function ,Speed adjustable

MODEL	SIZE	CABLE	SOCKET	SUITABLE FOR BULB	LINKABLE (Y/N)
SSL-RGB-003	29FT	2464 AWG#20	E26	Acrylic bulb	N
SSL-RGB-004	35FT	2464 AWG#20	E26	Acrylic bulb	N

>>> Solar LED RGBW (4 in 1) String Light



- ▶ Lighting Sourcing: RGBW (4 in 1)SMD LED S14 bulbs, 15lm, Max 0.3W
- ▶ Socket: E26, Spacing 2ft, Suspension: 7"
- ▶ Cable: 2464 AWG#20, Black
- ▶ Solar panel: 5.5V 1.5W 3.7V 18650 1800mAh
- ▶ Feature: Waterproof, Indoor & Outdoor use
- ▶ Multi Function: Color Changing, Random, Strobe, Twinkle, Fade, Breath, Flash, Dim, Speed adjustable, Auto, Remote Control

MODEL	SIZE	CABLE	SOCKET	SUITABLE FOR BULB	LINKABLE (Y/N)
SSL-RGB-001	24FT	2464 AWG#20	E26	S14 LED	Y
SSL-RGB-002	35FT	2464 AWG#20	E26	S14 LED	Y

>>> Solar Wireless Linkable RGBWW Color Change String Light



- ▶ Lighting Sourcing: S14 SMD LED Plastic Bulbs, 15lm, Max 0.3W
- ▶ Socket: E26, spacing 2ft, Suspension: 7"
- ▶ Cable: 2464 AWG#20, Black
- ▶ Solar panel: 5.5V 1.5W 3.7V 18650 2000mAh
- ▶ Feature: PIR & 2.4G controller, Auto & D2D on the solar controller box, RF remote with ON/OFF button. Using The same frequency (2.4Hz) to control multiple light strings simultaneous

MODEL	SIZE	CABLE	SOCKET	SUITABLE FOR BULB	LINKABLE (Y/N)
SSL-RGB-005	24FT	2464 AWG#20	E26	S14 LED	N
SSL-RGB-006	48FT	2464 AWG#20	E26	S14 LED	N

➤ USB RGBW Chasing String Light



- Lighting Sourcing: RGBW (4 in 1) SMD LED S14 bulbs, Plastic Bulbs, 5lm, Max 0.3W
- Socket: E26, Spacing 2ft, Suspension: 7"
- Cable: 2464 AWG#20, Black
- Feature: Remote control, Color Changing, Chasing Function, Speed Adjustable, Fading, Flashing, Strobe, Smooth, Music

MODEL	SIZE	CABLE	SOCKET	SUITABLE FOR BULB	LINKABLE (Y/N)
SSL-RGB-007	24FT	2464 AWG#20	E26	S14 LED	N
SSL-RGB-008	48FT	2464 AWG#20	E26	S14 LED	N

➤ Solar S14 Single Filament LED String Light



- Lighting Sourcing: S14 Single Filament LED bulbs, Plastic Bulbs 10lm, Max 0.3W
- Socket: E26, 2ft, Suspension: 7"
- Cable: 2464 AWG#20, Black
- Solar panel: 5.5V 1.5W 3.7V 18650 1800mAh
- Feature: Waterproof, Indoor & Outdoor use

MODEL	SIZE	CABLE	SOCKET	SUITABLE FOR BULB	LINKABLE (Y/N)
SSL-WW-003	24FT	2464 AWG#20	E26	S14 LED	N
SSL-WW-004	48FT	2464 AWG#20	E26	S14 LED	N

➤ Solar A19 Flickering Flame String Light



- Lighting Sourcing: A19 Flame shape LED bulbs, Plastic Bulbs Max 0.3W
- Socket: E26, Spacing 2ft, Suspension: 7"
- Cable: 2464 AWG#20, Black
- Solar panel: 5.5V 1.5W 3.7V 18650 2000mAh
- Feature: Linkable, Waterproof, Indoor & Outdoor use
- Multi Function: Flame effect, Fade, Jump, Flash, Steady

MODEL	SIZE	CABLE	SOCKET	SUITABLE FOR BULB	LINKABLE (Y/N)
SSL-WW-001	24FT	2464 AWG#20	E26	A19 LED	N
SSL-WW-002	48FT	2464 AWG#20	E26	A19 LED	N

➤ Solar LED CCT String Light



- Lighting Sourcing: S14 Single filament Plastic Bulbs, Max 0.3W
- Socket: E26, spacing 2ft, Suspension: 7"
- Cable: 2464 AWG#20, Black
- Solar panel: 5.5V 1.5W 3.7V 18650 1800mAh
- Feature: Remote Control, Stepless CCT change, speed adjustable brightness adjustable, 4 modes

MODEL	SIZE	CABLE	SOCKET	SUITABLE FOR BULB	LINKABLE (Y/N)
SSL-WW-005	24FT	2464 AWG#20	E26	S14 LED	N
SSL-WW-006	35FT	2464 AWG#20	E26	S14 LED	N

➤ USB Powered LED CCT Tunable String Light



- ▶ **Lighting Sourcing:** S14 Single Filament LED Bulbs 2200K-6500K, 25lm, Max 0.3W
- ▶ **Socket:** E26, spacing 2ft, Suspension: 7"
- ▶ **Cable:** 20#AWG Dia. 5.0mm cable, Black
- ▶ **Feature:** Linkable, Waterproof, Indoor & Outdoor use, 3 CCT adjustable, 10-100% dimmable, USB powered

MODEL	SIZE	CABLE	SOCKET	SUITABLE FOR BULB	LINKABLE (Y/N)
SSL-WW-007	24FT	2464 AWG#20	E26	S14 LED	Y
SSL-WW-008	48FT	2464 AWG#20	E26	S14 LED	Y

➤ Low Voltage LED RGB Fairy Rope String Light



- ▶ **Lighting Sourcing:** S14 Plastic Bulbs (LED: 0603LED, Warm white, LED Spacing:10cm)
- ▶ **Socket:** S14, spacing 2ft
- ▶ **Cable:** 22AWG/2C
- ▶ **Feature:** linkable, waterproof, indoor & outdoor use
- ▶ **Function:** remote, adaptor with ON/OFF, steady for light bulbs (warm white) and RGB PVC copper rope light have 4 modes: flash, slow flashes strobe: alternating fastand slow flashes

MODEL	SIZE	CABLE	SOCKET	SUITABLE FOR BULB	LINKABLE (Y/N)
SL-RGBWW-001	24FT	22AWG/2C	E26	S14 Bulb	Y
SL-RGBWW-002	48FT	22AWG/2C	E26	S14 Bulb	Y

➤ Low Voltage LED Fairy Rope String Light



- ▶ **Lighting Sourcing:** S14 Plastic Bulbs (LED: 0603LED, Warm white, LED Spacing: 10cm)
- ▶ **Socket:** S14, spacing 2ft
- ▶ **Cable:** 22AWG/2C
- ▶ **Solar panel:** 5.5V 1.5W 3.7V 18650 1800mAh
- ▶ **Feature:** linkable, waterproof, indoor & outdoor use
- ▶ **Function:** IR remote control, steady for light bulbs (warm white) and PVC copper rope light have 4 modes: flash, slow flashes strobe: alternating fastand slow flashes

MODEL	SIZE	CABLE	SOCKET	SUITABLE FOR BULB	LINKABLE (Y/N)
SSL-WW-033	24FT	22AWG/2C	E26	S14 Bulb	Y
SSL-WW-034	48FT	22AWG/2C	E26	S14 Bulb	Y

➤ Bluetooth LED RGB Color Changing Fairy Rope String Light



- ▶ **Lighting Sourcing:** G60 Plastic bubble shell (LED: 0603LED RGB, Spacing:10cm)
- ▶ **Socket:** E26, spacing 2ft
- ▶ **Cable:** 22AWG/2C
- ▶ **Feature:** linkable, waterproof, indoor & outdoor use
- ▶ **Function:** the main line of the bulb is separated from bright fast flashing, slow flashing, burst flashing, fast and slow alternating flashing bluetooth APP control

MODEL	SIZE	CABLE	SOCKET	SUITABLE FOR BULB	LINKABLE (Y/N)
SL-RGB-005	24FT	22AWG/2C	E26	G60 Bulb	Y
SL-RGB-006	48FT	22AWG/2C	E26	G60 Bulb	Y



➤ Solar LED RGB Fariy Rope Sring Light



- ▶ **Lighting Sourcing:** S14 Plastic Bulbs (LED: 0603LED RGB, Spacing:10cm)
- ▶ **Socket:** E26, spacing 2ft
- ▶ **Cable:** 22AWG/2C
- ▶ **Solar panel:** 5.5V/ 1.6W, 3.7V/ 2200MAH Nithium Battery
- ▶ **Feature:** linkable, waterproof, indoor & outdoor use
- ▶ **Function:** the light bulb and the main line will be separated lighting, fast flash, slow flash, burst flash, fast and slow flash alternately

MODEL	SIZE	CABLE	SOCKET	SUITABLE FOR BULB	LINKABLE (Y/N)
SL-WW-035	24FT	22AWG/2C	E26	S14 Bulb	Y
SL-WW-036	48FT	22AWG/2C	E26	S14 Bulb	Y

➤ Smart RGBWW Color Chasing String Light



- ▶ **Lighting Sourcing:** RGBW (4 in 1)SMD LED S14 bulbs, PMMA 15lm, max 0.3W
- ▶ **Socket:** E26,spacing 2ft, Suspension: 7"
- ▶ **Cable:** 2464 AWG#20, Black
- ▶ **Solar panel:** 5.5V 1.5W 3.7V 18650 1800mAh
- ▶ **Feature:** Linkable, Waterproof, Indoor & Outdoor use
- ▶ **Multi Function:** Wifi Tuya APP control, Color changing, chasing music function, 8 model: Flow, Rainbow, Chase, Dazzle, Gradient, Jump, breathing, Blink

MODEL	SIZE	CABLE	SOCKET	SUITABLE FOR BULB	LINKABLE (Y/N)
SL-RGB-001	24FT	2464 AWG#20	E26	Acrylic bulb	Y
SL-RGB-002	35FT	2464 AWG#20	E26	Acrylic bulb	Y

➤ Smart RGBWW Color Chasing String Light With Music Function



- ▶ **Lighting Sourcing:** RGBW (4 in 1)SMD LED S14 Bulbs, PMMA 15lm, Max 0.3W
- ▶ **Socket:** E26,spacing 2ft, Suspension: 7"
- ▶ **Cable:** 2464 AWG#20, Black
- ▶ **Input/Output:** 120V 60Hz, DC12V 2A
- ▶ **Feature:** Wifi & Music Smart Life APP, multiple function, constant 8 model: Flow, Rainbow, Chase, Dazzle, Gradient, Jump, Breathing, Blink

MODEL	SIZE	CABLE	SOCKET	SUITABLE FOR BULB	LINKABLE (Y/N)
SL-RGB-003	24FT	2464 AWG#20	E26	S14	Y
SL-RGB-004	48FT	2464 AWG#20	E26	S14	Y



➤ 7500lm LED Work String Light



- ▶ **Lighting Sourcing:** 7500lm LED integrated string work lights
- ▶ **Color:** warm white: 4000k±200k, Lumens:1500lm per light
- ▶ **Cable:** SJTW #18AWG/3C, Wire Color: Black
- ▶ **Dimensions:** Light Depth (in.) 3.25, Light Height (in.) 1.57, Light Width (in.) 6
- ▶ **Linkable:** Watts Total Max 780W

MODEL	SIZE	CABLE	SOCKET	SUITABLE FOR BULB	LINKABLE (Y/N)
SSL-WW-033	50FT	SJTW AWG#18	/	5 Bulbs	Y
SSL-WW-034	100FT	SJTW AWG#18	/	5 Bulbs	Y



➤ LED Cage Work String Light



- ▶ **Lighting Sourcing:** 7500lm LED integrated string work lightsa
- ▶ **Color:** warm white: 4000k±2000k, Lumens:1000lm per light.b
- ▶ **Cable:** SJTW #16AWG/3C, Wire Color: Yellow
- ▶ **Dimensions:** Light Depth (in.) 3.25, Light Height (in.) 1.57, Light Width (in.) 6
- ▶ **Linkable:** Watts Total Max 500W

MODEL	SIZE	CABLE	SOCKET	SUITABLE FOR BULB	LINKABLE (Y/N)
SSL-WW-035	50FT	SJTW AWG#16, Yellow	Moding	5 Bulbs	Y
SSL-WW-036	100FT	SJTW AWG#16, Yellow	Moding	5 Bulbs	Y



STRING LIGHT

- ◆ INDOOR
- ◆ OUTDOOR

➤ Recommended Application

Discover the beauty and versatility of our LED rope lights. With a flexible design, these lights effortlessly mold to your creative vision. Built with durable PVC housing and resistance to water, they're perfect for indoor and outdoor use. Save up to 73% in running costs compared to traditional incandescent rope lights, while enjoying their long lifespan. Choose from a range of captivating colors for weddings, holidays, and special events. Ideal for both residential and commercial settings, they enhance restaurants, hotels, and retail stores with captivating ambiance. Low power consumption, high efficiency, and easy installation make these waterproof rope lights a versatile lighting solution. Transform any space with the enchanting glow of our LED rope lights.

➤ Features

- ▶ Energy-efficient: Low energy consumption, it consumes only 1 watt per foot.
- ▶ Color variety: Choose from a wide range of colors to suit your preferences.
- ▶ Easy installation: Designed for simple installation using convenient clips. Some rope lights are linkable, while others can be cut to custom lengths.
- ▶ Dimmable: Some rope lights are dimmable, allowing you to adjust the brightness from 5-100%.
- ▶ Long lifespan: Rated for 35,000 hours of reliable operation.
- ▶ Versatile: Suitable for both indoor and outdoor use.





➤ LED Single Color Rope Light



- ▶ **Lighting Sourcing:** 108pcs SMD 3528 LED
- ▶ **LED Space:** 1.8" (Unit Length: 5.4ft, 36 LEDs/unit)
- ▶ **Product Size:** Dia: 0.38"
- ▶ **Color:** WW, CW, Red, Green, Blue, Purple
- ▶ **Feature:** link up to 192ft, indoor & outdoor use
- ▶ **Include:** LED rope light; 2ft power cord; mounting clips; screws

MODEL	SIZE	DIA	SPACING	CUTTABLE (Y/N)	LINKABLE (Y/N)
HRL-X-001	16FT	0.38"	1.8"	N	Y
HRL-X-002	32FT	0.38"	1.8"	N	Y
HRL-X-003	48FT	0.38"	1.8"	N	Y


➤ RGB+WW Rope Light



- ▶ **Lighting Sourcing:** 3528 RGB LED (3 IN 1) +WW
- ▶ **LED Space:** 1" (Unit Length: 4ft, 24+24 LEDs/ units)
- ▶ **Product Size:** Dia: 0.45"
- ▶ **Color:** RGB&WW (2400-2800K)
- ▶ **Feature:** 16 color changing, fading, flashing, strobe, smooth, indoor & outdoor use, link up to: 96ft
- ▶ **Include:** LED rope light; 5ft IR controller; mounting clips; screws

MODEL	SIZE	DIA	SPACING	CUTTABLE (Y/N)	LINKABLE (Y/N)
HRL-RGBWW-001	8FT	0.45"	1"	N	Y
HRL-RGBWW-002	16FT	0.45"	1"	N	Y
HRL-RGBWW-003	32FT	0.45"	1"	N	Y

➤ Stepless CCT Rope Light



- ▶ **Lighting Sourcing:** 5050 SMD 2in1 SMD LED
- ▶ **LED Space:** 2" (Unit Length: 3.3ft, 20 LEDs / unit)
- ▶ **Product Size:** Dia: 0.43"
- ▶ **Color:** WW+CW (3000-6000K)
- ▶ **Feature:** stepless CCT change, Jumping, flashing, Fading, IR remote control, indoor & link up to 65.6ft
- ▶ **Include:** rope light, mounting clips, screws, 5ft controller kits

MODEL	SIZE	DIA	SPACING	CUTTABLE (Y/N)	LINKABLE (Y/N)
HRL-3CCT-001	16.4FT	0.43"	2"	N	Y



➤ RGB Chasing Rope Light With Music Sync Function



- ▶ Lighting Sourcing: RGB 5050 3in1
- ▶ LED Space: 2" (Unit Length: 6ft, 36 LEDs/unit)
- ▶ Product Size: Dia: 0.45"
- ▶ Color: RGB
- ▶ Feature: 16 single color, color changing, chasing function, flashing, jumping, auto, speed adjustable, inline controller, indoor & outdoor, linkable to 72ft, music sync, RF remote control
- ▶ Include: LED rope light, 5ft controller, mounting clips, screws

MODEL	SIZE	DIA	SPACING	CUTTABLE (Y/N)	LINKABLE (Y/N)
HRL-RGBCS-M-01	18FT	0.45"	2"	N	Y
HRL-RGBCS-M-02	36FT	0.45"	2"	N	Y

➤ Solar Warm White LED Copper Rope Light



- ▶ Lighting Sourcing: 0603 copper LEDs
- ▶ LED Space: 2"
- ▶ Product Size: Dia: 0.24"
- ▶ Solar Panel: rechargeable 18650 Battery 800MAH, 3.7V
- ▶ Color: Warm White (2700K)
- ▶ Feature: with ON/OFF, timer, jumping function, outdoor Use
- ▶ Include: rope light; solar panel with 5ft power cable; clips

MODEL	SIZE	DIA	SPACING	CUTTABLE (Y/N)	LINKABLE (Y/N)
SCRL-X-001	16FT	0.23"	2.0"	Y	N
SCRL-X-002	24FT	0.23"	2.0"	Y	N

➤ Solar CCT Rope Light



- ▶ Lighting Sourcing: 0603 copper LEDs
- ▶ LED Space: 2"
- ▶ Product Size: Dia: 0.24"
- ▶ Solar Panel: rechargeable 18650 Battery 800MAH, 3.7V
- ▶ Color: WW+CW (2700K-6000K)
- ▶ Feature: 8 flashing modes (combination, in waves, sequential, slow glow, chasing / flashing, slow fading, twinkle / flashing, steady ON / OFF) + brightness, adjustment + timing, outdoor use
- ▶ Include: rope light; solar panel with 5ft power cable; clips; screws

MODEL	SIZE	DIA	SPACING	CUTTABLE (Y/N)	LINKABLE (Y/N)
SCRL-CCT-001	16FT	0.23"	2.0"	Y	N
SCRL-CCT-001	24FT	0.23"	2.0"	Y	N



➤ Solar LED PVC Music Fairy Mini Rope Light



- ▶ **Lighting Sourcing:** 50pcs LEDs, PVC RGB Fairy String Light
- ▶ **LED Space:** 3.93"
- ▶ **Product Size:** Dia: 0.24"
- ▶ **Solar Panel:** rechargeable 18650 Battery 2000MAH, 3.7V
- ▶ **Color:** RGB
- ▶ **Feature:** ON/OFF, fading, jumping, 16 single color (including cool white) color changing, chasing function, flashing, auto, outdoor use, music sync
- ▶ **Include:** rope light; solar panel with 5ft power cable; clips; Screws

MODEL	SIZE	DIA	SPACING	CUTTABLE (Y/N)	LINKABLE (Y/N)
SFRL-RGB-M-001	16.4FT	0.24"	4"	N	N

➤ Smart Solar Color Chasing Tape Light-Buletooth App



- ▶ **Lighting Sourcing:** SMD 5050RGB(3 in 1)
- ▶ **LED Space:** 1.31"
- ▶ **Product Size:** 0.4"x0.12"
- ▶ **Solar Panel:** Rechargeable 18650 Battery 1800MAH, 3.7V
- ▶ **Color:** RGB
- ▶ **Feature:** multiple color changing, chasing, fading, jumping effects, and brightness adjustable, with music function, indoor / outdoor(IP44)
- ▶ **Include:** 8ft tape light with adhesive tape included; solar cable; wire with power line, 5ft cable wire

MODEL	SIZE	DIA	SPACING	CUTTABLE (Y/N)	LINKABLE (Y/N)
SOTL-RGBCS-SM-001	8FT	0.4X0.12"	1.31"	Y	N



LED Tape Light-Single Color



- ▶ Lighting Sourcing: 150pcs SMD 2835 LED
- ▶ LED Space: 1.31" (Unit Length:3.3ft, 30 LEDs/unit)
- ▶ Product Size: 0.34"*0.22"
- ▶ Color: DL / SW / Red / Green / Blue / Purple / Mixed color
- ▶ Feature: indoor & outdoor use, link up to 196.8ft (12pcs maximum)
- ▶ Include: 16.4' LED tape light; 2ft power cord

MODEL	SIZE	DIA	SPACING	CUTTABLE (Y/N)	LINKABLE (Y/N)
HTL-X-001	16.4FT	0.34X0.22"	1.31"	N	Y

3CCT Tape Light



- ▶ Lighting Sourcing: 1.31" (Unit Length:3.3ft, 30 LEDs/Unit)
- ▶ LED Space: 150 pcs SMD 5050 2in1
- ▶ Product Size: 0.5"*0.3"
- ▶ Color: WW+CW (3000k / 4000k / 6000K)
- ▶ Feature: CCT changing, fading, flashing, strobe, smooth, indoor
- ▶ Include: LED tape light; mounting clips; screws

MODEL	SIZE	DIA	SPACING	CUTTABLE (Y/N)	LINKABLE (Y/N)
HTL-3CCT-001	16FT	0.5x0.3"	1.31"	N	Y
HTL-3CCT-002	24FT	0.5x0.3"	1.31"	N	Y

Stepless CCT Rope Light



- ▶ Lighting Sourcing: 150pcs SMD 5050 RGB LED(3 IN 1)
- ▶ LED Space: 1.31" (Unit Length: 3.3ft, 30 LEDs/unit)
- ▶ Product Size: 0.5"*0.3"
- ▶ Color: RGB
- ▶ Feature: 8 colors changing, with jumping , fading, flashing, auto, speed control, dimmable, linkable, indoor & outdoor use
- ▶ Include: 16.4' LED tape light; 2ft power cord with in-line controller, 20 keys IR remote; mounting clips; screws

MODEL	SIZE	DIA	SPACING	CUTTABLE (Y/N)	LINKABLE (Y/N)
HTL-RGB-001	16.4FT	0.5x0.3"	1.31"	N	Y



TAPE LIGHT

- ◆ INDOOR
- ◆ OUTDOOR

➤ Recommended Application

LED tape lights offer effortless installation and versatility, making them perfect for enhancing the mood and ambiance in any space. With a range of control options, you can achieve precise color customization to suit your preferences. Whether it's illuminating your home, bar, or restaurant with stunning effects or providing practical lighting solutions such as cove or undercabinet lighting, LED tape lights offer endless possibilities. Choose from a variety of lengths and sizes, including cuttable options, allowing for easy customization and seamless integration into curved or irregular spaces.

➤ Features

- ▶ Versatile input voltage: Choose between 120V AC or DC 12V/24V options.
- ▶ Superior color rendering (80+ CRI).
- ▶ RGB color changing: Control via remote (IR/RF) or WIFI APP.
- ▶ Easy installation: Use clips or adhesive tape. Linkable and cuttable options available.
- ▶ Long-lasting performance: Up to 35,000 hours of rated life.
- ▶ Indoor and outdoor use.



➤ RGB Chasing Strip Light



- ▶ **Lighting Sourcing:** 108pcs 5050 (3 in 1) RGB LEDs
- ▶ **LED Space:** 1.8" (Unit Length:5.4ft, 36 LEDs/Unit)
- ▶ **Product Size:** W0.45" x D0.28"
- ▶ **Color:** RGB
- ▶ **Feature:** 7 fantastic colors RGB, steady, fading, flash white, flash out, chase wave, waterproof, linkable waterproof, indoor used
- ▶ **Include:** tape light; controller; RF remote

MODEL	SIZE	DIA	SPACING	CUTTABLE (Y/N)	LINKABLE (Y/N)
HTL-RGBCS-001	16.4FT	0.45x0.28"	1.8"	N	Y

➤ Smart RGB Chasing Tape Light With Music Sync Function



- ▶ **Lighting Sourcing:** 5050 RGB SMD LED
- ▶ **LED Space:** 1.64" (24pcs LED per meter, totally 120pcs)
- ▶ **Product Size:** 0.39"x0.12"
- ▶ **Color:** RGB
- ▶ **Feature:** tuya app control, color changing, chasing function, fading, flashing, stack color, auto speed adjustable, brightness adjustable, music sync, cuttable, indoor and outdoor use
- ▶ **Include:** tape light; 24V/1A adaptor with 36inch cable with inline; receiver; IR remote, mounting clips & screws

MODEL	SIZE	DIA	SPACING	CUTTABLE (Y/N)	LINKABLE (Y/N)
LTL-RGBCS-001	16FT	0.39x0.12"	1.64"	Y	N
LTL-RGBCS-002	32FT	0.39x0.12"	1.64"	Y	N

➤ RGB Tape Light With Music Sync Function



- ▶ **Lighting Sourcing:** SMD 5050RGB (3 in 1)
- ▶ **LED Space:** 1.31" (150pcs 5050)
- ▶ **Product Size:** RGB
- ▶ **Color:** WW+CW (3000-6000K)
- ▶ **Feature:** multiple color changing, fading, jumping effects and brightness, adjustable, with music function
- ▶ **Include:** 16.4ft tape light with adhesive tape included; adaptor with power line; music controller; RF remote, mounting clips

MODEL	SIZE	DIA	SPACING	CUTTABLE (Y/N)	LINKABLE (Y/N)
LTL-RGB-M-001	16.4FT	0.4x0.12"	1.31"	Y	N

➤ 16.4FT Smart RGB+CW+WW WIFI Tape Light



- ▶ **Lighting Sourcing:** SMD 5050RGB (3 in 1) + 2835W+2835WW
- ▶ **LED Space:** 1.31" (150pcs RGB+150pcs CW+150pcs WW)
- ▶ **Product Size:** 0.4"x0.12"
- ▶ **Color:** RGB+CW+WW
- ▶ **Feature:** multiple color changing, fading, jumping effects and brightness adjustable, with music function, tuya app control, color change music, compatible with alexa / google, indoor use
- ▶ **Include:** 16.4ft tape light with adhesive tape included; adaptor with 5ft power cord; wifi controller; clips; screws

MODEL	SIZE	DIA	SPACING	CUTTABLE (Y/N)	LINKABLE (Y/N)
LTL-RGB (CW / WW)-WF-001	16.4FT	0.4x0.12"	1.31"	Y	N




➤ 4PK TV RGB Chasing Tape Light Kit With Music Sync Function



- ▶ **Lighting Sourcing:** 1.64" (total 48pcs, 12LEDs/Strip)
- ▶ **LED Space:** 1.64" (total 48pcs, 12LEDs/Strip)
- ▶ **Product Size:** 0.4"x0.12", 19.7"x4pcs
- ▶ **Color:** RGB
- ▶ **Feature:** color changing, chasing, fading, flashing, stack color, auto, speed adjustable, brightness adjustable, music sync, linkable and cuttable, IP44, indoor use only, IR remote control
- ▶ **Include:** 19.7inch tape light; 5V/2.1A USB adaptor; 18inch USB cable with inline receiver; IR remote; 36inch jumper with male & female connector

MODEL	SIZE	DIA	SPACING	CUTTABLE (Y/N)	LINKABLE (Y/N)
LTL-RGBCS-TV-001	19.7FT	0.4x0.12"	1.64"	Y	N

➤ 2PK 12FT Color Chasing Undercabinet Tape Light



- ▶ **Lighting Sourcing:** 5050SMD RGB 3in1
- ▶ **LED Space:** 1.31"(30 LEDs/M)
- ▶ **Product Size:** 0.47"x0.12"
- ▶ **Color:** RGB
- ▶ **Feature:** cuttable, linkable, indoor and outdoor use (function:color changing , chasing function, music sync , timer)
- ▶ **Include:** 2x12ft tape light; adaptor; controller

MODEL	SIZE	DIA	SPACING	CUTTABLE (Y/N)	LINKABLE (Y/N)
LTL-RGBCS-UC-001	2x12FT	0.47*0.12"	1.31"	Y	N

➤ RGB Basket Tape Light



- ▶ **Lighting Sourcing:** 42pcs 5050RGB 3in1
- ▶ **Product Size:** 55.11"*0.47"mm*0.16"mm
- ▶ **Power:** 3xAA Button battery (Not Included)
- ▶ **Color:** RGB
- ▶ **Feature:** outdoor use, ON/OFF power switch; power on- static; white(dim)-on basket; random color/patterns(bright)-basket/score for 4 seconds low battery-static red(dim)
- ▶ **Include:** 4.6ft Tape Light; Ribbon

MODEL	SIZE	DIA	SPACING	CUTTABLE (Y/N)	LINKABLE (Y/N)
LTL-RGBCS-BK-001	4.6FT	0.47x0.16"	1.31"	Y	N



➤ LED COB Tape Light-Single Color



- ▶ Lighting Sourcing: 320 LEDs/ M
- ▶ LED Space: 0.12"
- ▶ Product Size: 0.31" x0.08"
- ▶ Color: WW / CW / Red / Green / Blue / Purple / Single Color
- ▶ Feature: High lumen, small spot
- ▶ Include: 16.4ft COB tape light; DC adapter with 5ft connecting cord

MODEL	SIZE	DIA	SPACING	CUTTABLE (Y/N)	LINKABLE (Y/N)
COB-X-001	16.4FT	0.31x0.08"	0.12"	Y	N



➤ RGB COB Tape Light



- ▶ Lighting Sourcing: 576 LEDs/ M
- ▶ LED Space: 1.31"
- ▶ Product Size: 0.39"x0.12"
- ▶ Color: RGB
- ▶ Feature: indoor use, ON/OFF, speed brightness adjustable, 8 static colors(Including white blend) fading , jumping music , cuttable
- ▶ Include: 16.4ft strip tape light; AC adaptor With 5ft connecting cord; the controller; 20 keys remote control

MODEL	SIZE	DIA	SPACING	CUTTABLE (Y/N)	LINKABLE (Y/N)
COB-RGBCS-001	16.4FT	0.39x0.12"	1.31"	Y	N



NEON FLEX LIGHT

◆ INDOOR

◆ OUTDOOR

➤ Recommended Application

LED neon flex lights offer exceptional flexibility, allowing them to be easily shaped into various forms for customized installations. Perfect for indoor and outdoor signage, they provide vibrant and eye-catching lettering and graphics. Additionally, they are an excellent choice for creating a lively and colorful ambiance in any setting, whether it's for parties, events, or festive decorations. Their versatility and ability to add mood and atmosphere make LED neon flex lights a popular choice for enhancing the visual appeal of homes, bars, restaurants, and more.

➤ Features

- ▶ Exceptional flexibility and bendability.
- ▶ Vibrant RGB color changing options with remote control (IR/RF) or WIFI APP control.
- ▶ Superior color rendering (80+ CRI).
- ▶ Easy installation with simple clips. All our neon flex products are linkable for seamless connectivity.
- ▶ Rated for 35,000 hours of reliable operation.
- ▶ Suitable for both indoor and outdoor use.





>> LED Tape Light-Single Color



- ▶ Lighting Sourcing: 420pcs 2835SMD
- ▶ LED Space: 0.46" (Unit Length:3.3ft, 84pcs LED)
- ▶ Product Size: 0.39"x0.86" (Single side & Double side)
- ▶ Color: Warm White (3000K)
- ▶ Feature: linkable, indoor and outdoor use (single / double sided luminescence)
- ▶ Include: 16.4ft neon flex; 2ft power cord; screws; clips

MODEL	SIZE	DIA	SPACING	CUTTABLE (Y/N)	LINKABLE (Y/N)
HNF-X-DS-001	16.4FT	0.39X0.86"	0.46"	N	Y

>> 360 Degree Color Chasing Flexible Neon Flex Light



- ▶ Lighting Sourcing: 3535 RGB(3 in 1) SMD LED 72pcs LED/ 3.3ft, LED
- ▶ LED Space: 0.55"
- ▶ Product Size: DIA: 0.51"mm
- ▶ Color: RGB
- ▶ Feature: dimmable, multifulcolor, color changing, color chasing, fading, flashing, jumping, breathing, waterproof, indoor and outdoor use
- ▶ Include: 12ft LED light strip; 5ft cable length (including on-line controller), mounting clips and screws; RF remote

MODEL	SIZE	DIA	SPACING	CUTTABLE (Y/N)	LINKABLE (Y/N)
HNF-RGBCS-C-001	12FT	0.51"	0.55"	N	Y

>> 360 Degree Neon Flex Light



- ▶ Lighting Sourcing: SMD2835 144 LEDs / meter
- ▶ LED Space: 0.27"
- ▶ Product Size: 0.53", 5FT power lead
- ▶ Color: WW (2700-3300K)
- ▶ Feature: 15keys IR remote, 20ft distance, ON/OFF, timer flashing / jumping fading, dimmable (inline switch function : preset modes select , ON / OFF)
- ▶ Include: rope light; 120VAC plug in wire with APP controller; mounting clips; screws; IR remoter

MODEL	SIZE	DIA	SPACING	CUTTABLE (Y/N)	LINKABLE (Y/N)
HNF-C-001	16.4FT	0.53"	0.27"	N	Y



➤ RGB Chasing Neon Flex



- ▶ **Lighting Sourcing:** 5050 RGB(3 in 1) SMD 60pcs LED / 3.3ft, 18pcs LED / ft
- ▶ **LED Space:** 0.66"
- ▶ **Product Size:** 0.39x0.7" (16.4ft, single side)
- ▶ **Color:** RGB
- ▶ **Feature:** linkable, indoor and outdoor use, 16 single color (including white), color changing, chasing, flashing, jumping, auto, speed adjustable, inline controller with function button, waterproof
- ▶ **Include:** 2ft controller with cable; 24 keys remote; screws; clips

MODEL	SIZE	DIA	SPACING	CUTTABLE (Y/N)	LINKABLE (Y/N)
HNF-R6BC5-001	16.4FT	0.39x0.7"	0.66"	N	Y

➤ RGB Chasing Music Neon Flex Light



- ▶ **Lighting Sourcing:** 5050 RGB(3 in 1) SMD LED 60pcs LED / 3.3ft, 18pcs LED / ft
- ▶ **LED Space:** 0.66"
- ▶ **Product Size:** 0.39"x0.71" (Single side)
- ▶ **Color:** RGB
- ▶ **Feature:** 16 single color (including white), color changing, chasing and music function, flashing, jumping, auto, speed adjustable, inline controller with function button, IR remote control waterproof, indoor and outdoor use, linkable
- ▶ **Include:** 5ft controller; screws; clips; remoter; adaptor(24V 2.5A)

MODEL	SIZE	DIA	SPACING	CUTTABLE (Y/N)	LINKABLE (Y/N)
LNF-R6BC5-M-001	16.4FT	0.39x0.7"	0.66"	N	Y

➤ Smart Multi-Color LED Neon Flex Light



- ▶ **Lighting Sourcing:** 5050 RGB(3 in 1) SMD 60pcs LED/ 3.3ft, 18pcs LED/ft
- ▶ **LED Space:** 0.66"
- ▶ **Product Size:** 0.36"x0.63" (single side)
- ▶ **Color:** RGB&WW (2400-2800K)
- ▶ **Feature:** tuya app control, remote control, dimmable, color changing, fading, flashing, jumping, breathing, addressable, multi-color & multi-white, waterproof, indoor and outdoor use, linkable
- ▶ **Include:** 16.4 ft LED light strip; 5ft cable length (including on-line controller) mounting clips and screws; 24V 2.5A adaptor

MODEL	SIZE	DIA	SPACING	CUTTABLE (Y/N)	LINKABLE (Y/N)
LNF-R6B-WF-001	16.4FT	0.36x0.63"	0.66"	N	Y